AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

<u>LISTING OF CLAIMS:</u>

Claims 1 to 15: (Canceled).

16. (Amended) A component, comprising:

a wear-resistant layer applied to a surface of the component to be protected, the surface being subjected to at least one of a mechanical load and a fluidic load, the layer including at least one of amorphous metals and amorphous-nanocrystalline metals, the layer including at least one rare earth metal, a transition metal and at least one of a Cu-Al-Ti alloy, a Cu-Al-Ta alloy, a Cu-Al-Zr alloy, and a Pt-Al-Si alloy and a Ta-Si-N alloy.

- 17. (Previously Presented) The component according to claim 16, wherein the transition metal includes one of Cu, Ni and Co.
- 18. (Previously Presented) The component according to claim 16, wherein the layer is applied to the surface by electrodeposition.
- 19. (Previously Presented) The component according to claim 16, wherein the layer is applied to the surface from a melt.
- 20. (Previously Presented) The component according to claim 16, wherein the layer is applied to the surface by a PVD process.
- 21. (Previously Presented) The component according to claim 16, wherein the layer is applied to the surface by thermal spraying.
- 22. (Previously Presented) The component according to claim 16, wherein the component includes a component of an internal-combustion engine.

- 23. (Previously Presented) The component according to claim 16, wherein the component includes a component of a gas turbine around which one of a gas and a hot gas flow.
- 24. (Previously Presented) The component according to claim 16, wherein the component includes a blade of a gas turbine, the surface corresponding to at least a portion of a root of the blade, the layer being configured to protect against fretting.
- 25. (Previously Presented) The component according to claim 16, wherein the component is formed of a fiber-reinforced plastic.
- 26. (Previously Presented) The component according to claim 16, wherein the component includes at least one of a fiber-reinforced plastic blade and a support configured as one of a disc and a ring of an integrally bladed fiber-reinforced plastic rotor, the at least one of the blade and the support including the surface, the layer being configured to protect against at least one of erosion and corrosion.
- 27. (Previously Presented) The component according to claim 16, wherein the layer is metallic.
- 28. (Previously Presented) The component according to claim 27, wherein the layer further includes one of a Ti alloy, a Ni alloy, a Co alloy and a Fe alloy.
- 29. (Previously Presented) The component according to claim 16, wherein the component includes a tire of a rail-borne vehicle, the tire including the surface.
- 30. (Previously Presented) The component according to claim 16, wherein the component includes a component of a reciprocating engine, the component of the reciprocating engine including the surface.
- 31. (Previously Presented) The component according to claim 30, wherein the component of the reciprocating includes one of a valve, a camshaft, a crankshaft, a piston ring and a piston pin.

32. (New) A component, comprising:

a wear-resistant layer applied to a surface of the component to be protected, the surface being subjected to at least one of a mechanical load and a fluidic load, the layer including at least one of amorphous metals and amorphous-nanocrystalline metals, the layer substantially including one of the following:

- a) a Ni-W base alloy;
- b) a Cu-Al alloy also including one of Ti, Ta, and Zr;
- c) a Pd-Cu-Si alloy;
- d) a PT-Al-Si alloy;
- e) a Ta-Si-N alloy; and
- f) an alloy of AI, one rare earth element and a transition metal.
- 33. (New) The component of claim 32, wherein the transition metal is one of Cu, Ni and Co.